



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-3397

JB PRITZKER, GOVERNOR

JOHN J. KIM, DIRECTOR

(217) 524-3300

CERTIFIED MAIL

NOV 09 2022

7022 0410 0001 4780 3339

Anna Kasprzyk
Lake Villa Community Consolidated School District 41
131 McKinley Avenue
Lake, Villa, IL 60046

Re: 0970845045 -- Lake County
Lake Villa/Lake Villa Community Consolidated School District 41
108 North Route 83
Leaking UST Incidents 991559, 20090562
Leaking UST Technical File

Dear Anna Kasprzyk:

The Illinois Environmental Protection Agency (Illinois EPA) has reviewed the Corrective Action Plan (plan) submitted for the above-referenced incidents. This plan, dated July 1, 2022, was received by the Illinois EPA on July 13, 2022. Citations in this letter are from the Environmental Protection Act (415 ILCS 5) (Act) and Title 35 of the Illinois Administrative Code (35 Ill. Adm. Code).

The Illinois EPA requires modification of the plan; therefore, the plan is conditionally approved with the Illinois EPA's modifications. The following modifications are necessary, in addition to those provisions already outlined in the plan, to demonstrate compliance with Title XVI of the Act (Sections 57.7(b)(2) and 57.7(c) of the Act and 35 Ill. Adm. Code 734.505(b) and 734.510(a)):

- Historic soil contamination present in W-10 must be addressed.
- Information justifying the S_w and S_d used in the R12, R14, and R26 RBCA equations must be provided.
- A hydraulic conductivity of 10^{-4} cm/sec should be used in the absence of a slug or pump test pursuant to 35 Ill. Adm. Code Section 742. Appendix C. Table F.

Please note that all activities associated with the remediation of this release proposed in the plan must be executed in accordance with all applicable regulatory and statutory requirements, including compliance with the proper permits.

If the owner or operator agrees with the Illinois EPA's modifications, submittal of an amended plan and/or budget, if applicable, is not required (Section 57.7(c) of the Act).

NOTE: Pursuant to Section 57.8(a)(5) of the Act, if payment from the Fund will be sought for any additional costs that may be incurred as a result of the Illinois EPA's modifications, an amended budget must be submitted. Amended plans and/or budgets must be submitted and approved prior to the issuance of a No Further Remediation (NFR) Letter. Costs that have not been approved prior to the issuance of an NFR Letter will not be paid from the Fund.

2125 S. First Street, Champaign, IL 61820 (217) 278-5800
1101 Eastport Plaza Dr., Suite 100, Collinsville, IL 62234 (618) 346-5120
9511 Harrison Street, Des Plaines, IL 60016 (847) 294-4000
595 S. State Street, Elgin, IL 60123 (847) 608-3131

2309 W. Main Street, Suite 116, Marion, IL 62959 (618) 993-7200
412 SW Washington Street, Suite D, Peoria, IL 61602 (309) 671-3022
4302 N. Main Street, Rockford, IL 61103 (815) 987-7760

Page 2

Pursuant to Sections 57.7(b)(5) and 57.12(c) and (d) of the Act and 35 Ill. Adm. Code 734.100 and 734.125, the Illinois EPA requires that a Corrective Action Completion Report that achieves compliance with applicable remediation objectives be submitted within 30 days after completion of the plan to:

Illinois Environmental Protection Agency
Bureau of Land - #24
Leaking Underground Storage Tank Section
1021 North Grand Avenue East
Post Office Box 19276
Springfield, IL 62794-9276


Please submit all correspondence in duplicate and include the Re: block shown at the beginning of this letter.

If within four years after the approval of this plan, compliance with the applicable remediation objectives has not been achieved and a Corrective Action Completion Report has not been submitted, the Illinois EPA requires the submission of a status report pursuant to Section 57.7(b)(6) of the Act.

An underground storage tank system owner or operator may appeal this decision to the Illinois Pollution Control Board. Appeal rights are attached.

If you have any questions or need further assistance, please contact the undersigned at (217) 782-9285 or at jenny.rossi@illinois.gov.

Sincerely,



Jennifer Rossi
Project Manager
Leaking Underground Storage Tank Section
Bureau of Land

Attachment: Appeal Rights

c: Patrick Hook, A3 Environmental (electronic copy)
BOL File

Appeal Rights

An underground storage tank owner or operator may appeal this final decision to the Illinois Pollution Control Board pursuant to Sections 40 and 57.7(c)(4) of the Act by filing a petition for a hearing within 35 days after the date of issuance of the final decision. However, the 35-day period may be extended for a period not to exceed 90 days by written notice from the owner or operator and the Illinois EPA within the initial 35-day appeal period. If the owner or operator wishes to receive a 90-day extension, a written request that includes a statement of the date the final decision was received, along with a copy of this decision, must be sent to the Illinois EPA as soon as possible.

For information regarding the filing of an appeal, please contact:

Clerk of the Board
Illinois Pollution Control Board
James R. Thompson Center
100 West Randolph, Suite 11-500
Chicago, IL 60601
(312) 814-3620

For information regarding the filing of an extension, please contact:

Illinois Environmental Protection Agency
Division of Legal Counsel
1021 North Grand Avenue East
PO Box 19276
Springfield, IL 62794-9276
(217) 782-5544

